

---

## What is a clinical research study?

In a clinical research study, doctors evaluate how a particular medication works in the treatment of a disease or condition. Before any new medication can be approved, a clinical research study must be conducted. Without them, we would have no new treatment options.

## What is the SND111 Study?

The SND111 study is looking at whether an investigational medication called NaBen<sup>®</sup> (Sodium Benzoate) is safe and effective in improving symptoms of schizophrenia in teenagers.

The goal of this study is to increase treatment options available for teenagers with schizophrenia.



---

## Adolescent Schizophrenia

Schizophrenia is a mental disorder often characterized by abnormal social behavior and failure to recognize what is real. Some common troubling symptoms include:

- hallucinations (such as hearing threatening voices)
- delusions (such as believing in things that are not real)
- confused thinking
- reduced social engagement

In adolescent schizophrenia, the symptoms start before the age of 18. In only around 1 percent of schizophrenia patients the symptoms start at such a young age.

Syneurx International



---

## The SND111 study: A **HEART** for Adolescent Schizophrenia

---

NaBen<sup>®</sup>:  
A new treatment to make a  
difference



The SND111: A research  
study on an investigational  
treatment for teenage  
Schizophrenia

For more information:  
1-866-971-0917  
[www.syneurxtrials.com](http://www.syneurxtrials.com)



---

## For more information...

If you would like to know more about the SND111 Study, please speak with your family doctor or psychiatrist, who may refer you to the local study team using the contact information below. They will be happy to give you more information about the study and answer any of your questions.

The SND111 study for teenagers with schizophrenia

For more information:

1-866-971-0917

[www.syneurxtrials.com](http://www.syneurxtrials.com)



---

## Who can participate in the SND11 Study?

Teenagers may be eligible to participate in the study if they are:

- 12-17 years old
- Diagnosed with schizophrenia

There will be about 125 teenagers participating in this study

Your child may leave the study at any time. Participants will receive some compensation for travel expenses.



---

## What will the SND111 study involve?

Teenagers joining the study will need to visit the study center several times during a period of up to 10 weeks. A parent, legal guardian, or caregiver will need to accompany them to every visit. The study is divided into three phases:

- Screening phase (2 weeks)
- Treatment phase (6 weeks)
- Follow-up phase (2 weeks)

At each visit, the study doctor will ask questions about your child's schizophrenia symptoms. Overall health will be monitored throughout the study using:

- physical examinations
- blood pressure and heart rate tests
- blood and urine tests

The cost of all study-related health assessments and study medication in the study will be covered.

**During this study your child will not be taken off their current medication. NaBen® will be added to their current treatment as an additional medication.**

